

*Inspired
by Water*

**CLEANING
EQUIPMENT**





ATECPOOL CLEANING EQUIPMENT



Ultimate cleaning robot

The world's first Robotic Pool Cleaner using Poseidon TM 200-meter. Deep-Sea Technology Underwater Special BLDC Motor.

Brightbot 6000 provides smart, thorough, and effort-free pool cleaning experiences, bringing limpidity back to your beloved pool. Our technology can turn that

experience into an extremely rewarding one, by adding quality and safety with low maintenance routine, giving you and your family the best quality moments.

Atecpool Brightbot 6000 can be remote-controlled with **ATECPOOL APP** available to download in Google Play and App Store.

Atecpool Brightbot 6000 Pool Robot

Atecpool Brightbot 6000 Pool Robot

Robotic pool cleaner independently developed by ATECPPOOL for private, public, commercial, and other scenarios.

The world's first Robotic Pool Cleaner using Poseidon TM 200-meter. Deep-Sea Technology Underwater Special BLDC Motor. Controlling the cleaning process with an APP "ATECPPOOL Brightbot 6000" makes pool cleaning effort-free. Supported by Brightbot S-Clean and S-Climb technologies, 6000 can easily handle various pool shapes and pool wall climbing. The brushless motor, dual water suction pump, and dual active brush can ensure thorough, effective, and reliable pool cleaning works. The double-layer filter screen allows stratified filtering. The Tap 'n' Collect function allows you to remove Brightbot 6000 quickly and easily from a pool.

Optional caddy is available for easier transporting and storing.



BrightBot 6000 Exclusive APP



Scheduled cleaning



Unattended operation



One-key return

Atecpool Brightbot 6000 Pool Robot


Multifunctional Power Supply	Mode selection	Cable length / Code	18m / Brightbot6000-18	
	Countdown		25m / Brightbot6000-25	
	Wi-Fi state		Anti-tangle cable	YES
	Error indicator		Drive system	Double + Stance
	Tap 'n' Collect		APP	YES
Pool size	300m ²	Wi-Fi	YES	
Pool area	Bottom/Wall/Waterline	Caddy	Optional	
Cleaning mode	Fast/Regular/Super/Waterline/Bottom/Custom	Regular cleaning (Cycle cleaning)	YES	
Canister type	Double layer/Removable/Washable	Scheduling	YES	
Active brush	2	Manual mode	YES (APP control)	



INTELLIGENTLY CONTROL WITH AN APP, JUST EFFORT-FREE

Atecpool Brightbot 6000 can be remote-controlled with ATECPPOOL APP. Scheduled cleaning (timer and delay function), automation mode, Tap 'n' Collect feature are available in the APP. Other than the intelligent one-tap cleaning, you can also clean your pool using the lag-free manual mode.

Brightbot 6000 S-Clean technology, suitable for various pool shapes.





S-Climb technology, cleaning pool walls smart and easily




Brushless Motor, Reliable and Durable

Brightbot 6000 robotic pool cleaner adopts Brightbot brushless motors, which can reduce the interference of electric spark. The brushless motors can provide smooth, stable and reliable power, giving 6000 a long service life.

- 

Can reduce the interference of electric spark
- 

Can provide smooth, stable and reliable power
- 

Can extended 6000's service life


Optional Caddy available



Double Layer Filter Screen Enables Stratified Filtering; Large Capacity, No Canister-Full

Brightbot 6000 has double-layer filter screens. The inner rough filter can screen out tinny stones, gravels, and twigs, while the outer filter panels have more excellent fineness and can filter soil, debris and lipid.

The 6L extra large canister sets you free from worrying about its capacity. It only needs one press to access the canister and then you can give it daily cleanings.



Cleaning Accessories

Vacuum Heads

Cleanstar Heavy-Duty Aluminium Vacuum Heads

- Made of anodized aluminium
- Ideal for in-ground pools, the unique 3- section articulated body enables vacuuming into the base of pool walls
- Extra heavy weight for easy gliding. Heavy-duty metal handle with pivot maintains good surface contact
- Non-slip wheels with stainless steel hardware
- Full-length underside brushes help dislodge debris
- EZ-clip handle facilitates connection to standard telepole. Fits 38mm / 1 1/2" and 50mm / 2" vacuum hoses
- New reinforced nylon structure



CS393CBX

Cleanstar Aluminium Articulated Vacuum Head

Code	Description	Weight (kg)	Volume (m ³)
CS393CBX	35cm / 14" CS Articulated Aluminium Vacuum Head	2.4	0.008
CS394CBX	45cm / 18" CS Articulated Aluminium Vacuum Head	2.8	0.008



CS3934

Cleanstar Anodized Aluminium Vacuum Head

Code	Description	Weight (kg)	Volume (m ³)
CS3934	35cm / 14" CS Aluminium Vacuum Head	2.0	0.008
CS3938	45cm / 18" CS Aluminium Vacuum Head	2.2	0.008

Cleanstar Flexible Vacuum Heads

Extra wide flexible body with ball-bearing wheels for smooth and easy gliding. Extra strong spring-loaded metal handle. Fits 38mm / 1 1/2" vacuum hoses.



CS763

Cleanstar Premium Extra Weight Vacuum Head

Flexible articulated pool cleaner with 35 cm head, extra weight for better performance.

Code	Description	Weight (kg)	Volume (m ³)
CS763	35cm / 14" CS Premium Extra Weight Vacuum Head	2.2	0.008



CS902

Cleanstar Flexible Vacuum Head 35 cm / 14"

Code	Description	Weight (kg)	Volume (m ³)
CS902	35cm / 14" CS Flexible Vacuum Head	1.2	0.008



CS894

Cleanstar Flexible Vacuum Head 48 cm / 19"

Code	Description	Weight (kg)	Volume (m ³)
CS894	48cm / 19" CS Flexible Vacuum Head	1.6	0.008

Cleaning Accessories

Vacuum Heads and Handles



00510927

Triangular Vacuum Head

Transparent triangular shaped vacuum head, with brushes and clip type. Handle with swivel system. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m ³)
00510927	Triangular Vacuum Head	1.0	0.008



005109125

Flexible Vacuum Head Deluxe 35 cm / 14"

Flexible vacuum head with side brushes made in blue and white polyethylene. 35 cm head with 8 wheels and side brushes. Handle with swivel system. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m ³)
005109125	Flexo Vacuum head	1.1	0.008



00500011

Aluminium Vacuum Head

Vacuum head with wheels, anodised aluminium, clip type. 1 1/2" hose connection and outer 2".

Code	Description	Weight (kg)	Volume (m ³)
00500010	35cm / 14" Aluminium Vacuum Head	2.0	0.008
00500011	45cm / 18" Aluminium Vacuum Head	2.2	0.008

Telescopic Poles



CS451

Cleanstar Telescopic Pole Corrugated

Extra heavy duty tubes with 1.4 mm wall thickness. Anodized aluminium in golden color. Ergonomically shaped lock and grip in dual material. Inner core made of hard and durable ABS. Soft comfortable grip.

Code	Description	Weight (kg)	Volume (m ³)
CS451	Telescopic Pole 1.8 - 3.2 mtr GOLDEN	1.3	0.005
CS401	Telescopic Pole 2.4 - 4.8 mtr GOLDEN	1.8	0.005



00105001

Telescopic Pole Blue Professional

Telescopic pole in aluminium up to 4.8 m. Corrugated professional model for large pools, extra strong with 1.4 mm thickness.

Code	Description	Weight (kg)	Volume (m ³)
00105001	Telescopic Pole 1.2 - 2.4 mtr BLUE Professional	1.2	0.005
00105001-1	Telescopic Pole 2.4 - 4.8 mtr BLUE Professional	1.8	0.005
00105001-2	Telescopic Pole 3.6 - 7.2 mtr BLUE Professional	3.2	0.005

Cleaning Accessories

Brushes and Leaf Rakes



Cleanstar Wall Brush Curved Metal Back

With long-lasting nylon bristles. Gold anodized aluminum handles.

Code	Description	Weight (kg)	Volume (m ³)
CS494	45cm / 18" CS Metal Back Wall Brushes	0.6	0.008
CS495	60cm / 24" CS Metal Back Wall Brushes	1.0	0.008
CS496	90cm / 36" CS Metal Back Wall Brushes	1.2	0.008



Wall Brush Curved

Curved brush 45 cm Clip type. Nylon bristles.

Code	Description	Weight (kg)	Volume (m ³)
00510930	45 cm Wall Brush Curved	0.3	0.008



Wall Brush Straight

Straight brush 26 cm Clip type. Nylon bristles.

Code	Description	Weight (kg)	Volume (m ³)
00510932	26cm Wall Brush Straight	0.2	0.008



Algae Brush S.S. Bristles

Algae model brush 26 cm. Stainless Steel bristles. Clip type.

Code	Description	Weight (kg)	Volume (m ³)
00510933	26cm Algae Brush SS Bristles	0.2	0.008



Cleanstar Deep Leaf Rake Aluminium

Heavy gauge aluminium frame and handle. Heavy-duty nylon net.

Code	Description	Weight (kg)	Volume (m ³)
CS160	CS Deep Leaf Rake	0.4	0.008



Cleanstar Surface Leaf Skimmer Aluminium

Heavy gauge aluminium frame and handle. Heavy-duty nylon net.

Code	Description	Weight (kg)	Volume (m ³)
CS161	CS Surface Leaf Skimmer	0.3	0.008



Cleaning Accessories

Floating Hose & Test Kit



00510934

Surface Leaf Net

Leaf Net Surface model. Manufactured in blue Polypropylene. The polyester net is welded to the leaf net frame.

Code	Description	Weight (kg)	Volume (m³)
00510934	Surface Leaf Net	0.22	0.008



00510935

Deep Leaf Net Deluxe

Leaf Net Deep model. Manufactured in blue Polypropylene. The polyester net is welded to the leaf net frame.

Code	Description	Weight (kg)	Volume (m³)
00510935	Leaf Net Deep	0.3	0.008



CS353

Cleanstar Floating Hose

High-performance vacuum hose Ø38mm / 1 1/2" with smooth internal walls to improve flow. Includes glued cuffs at each end. Shrink-wrap packaging.

Code	Description	Weight (kg)	Volume (m³)
CS353	Cleanstar Floating Hose 10 mtr	3.0	0.008
CS355	Cleanstar Floating Hose 12 mtr	4.5	0.008
CS396	Cleanstar Floating Hose 15 mtr	5.6	0.008
CS357	Cleanstar Floating Hose 30 mtr	11.2	0.008



CS529

Cleanstar 3-Way Test Kit pH & CL/BR

Measures pH, bromine / chlorine. Easy to read, and a more accurate scale. Includes 20ml (0.7 Fl. Oz.) phenol red & OTO reagents. Reagent bottles equipped with safety tops, for extra security.

Code	Description	Weight (kg)	Volume (m³)
CS529	CS 3-Way Test Kit	0.4	0.008



CS102

Cleanstar 2-Way Test Kit Refills OTO & pH RED

20ml (0.7 Fl. Oz.) phenol red & OTO reagents. Reagent bottles equipped with safety tops, for extra security.

Code	Description	Weight (kg)	Volume (m³)
CS102	CS 2-Way Test Refills	0.2	0.008



Cleaning Accessories

Digital Test Kit

Lovibond Scuba II Digital Test Kit



Specifications

- Every pool owner should check the most important parameters in his pool at regular intervals. This is the only way to ensure that water quality is maintained at the right level and to arrange dosing in an optimum manner.
- The Scuba II enables the operator to check the pool water quickly and accurately. The integrated sample chamber is filled by immersing it in the water.
- A tablet reagent is added and generates a characteristic colour which can be measured using the photometric principle. The result is then displayed on the screen. Five parameters: free chlorine, total chlorine, pH, alkalinity and stabilizer (cyanuric acid) are measured within a few minutes.

Code	Description	Optics	Power	Display	Dimensions (mm)	Weight (kg)
00505078	Scuba II Test Kit	Temperature-compensated LED ($\lambda = 530 \text{ nm}$) and photo-sensor	2 batteries (AAA), capacity ca. 100 tests	LCD	145 x 70 x 45	0.165



Floating Dispenser

Allows easy dosage of pool chemicals with capacity for 4 tablets, 200 grams each.

Code	Description	Diameter of tablet inch	Unit
00505338	Floating dispenser	3"	1



CS608



Cleanstar Jumbo Float Thermometer

Jumbo size with an easy-to-read scale. Can be read without having to take the thermometer out of the water. Securing cord included. 0°C - 50°C temperature range. Floats on pool surface. 40 cm height.



Code	Description	Weight (kg)	Volume (m ³)
CS608	CS Jumbo Float Thermometer	0.4	0.008



CS785

Cleanstar Character Thermometer

Each item is in complete clamshell packaging, or ready-to-sell color display tray of 12pcs. High quality roto-molded body in 6 phthalate free-material. Large clear view thermometer scale. Includes securing cord. Characters like duck, dolphin, turtle, etc.



Code	Description	Weight (kg)	Volume (m ³)
CS785	CS Character Thermometers	0.1	0.008



ATECPOOL

VALVES &

UNIONS

